

Term Contract No. 765-J

STATE OF NORTH CAROLINA, DEPARTMENT OF ADMINISTRATION		
DIVISION OF PURCHASE AND CONTRACT		
116 West Jones Street, Raleigh, NC 27603-8002		
Term Contract	765J	8 ' Front mounted pickup truck snow plows, with electric-hydraulic powered.
Effective Dates	April 14, 2011 through April 13, 2014*	
Bid Number	201100373	
Administrator	Mike Brendle	
Phone	(919) 807-4516	
Fax	(919) 807-4510	
E-Mail	tmike.brendle@doa.nc.gov	
Last Updated	April 9, 2012	

1. General Information

This contract is for the purpose of procuring from a Statewide Term Contract for 8 Ft. front mounted pickups snow plows, for all authorized users of this contract. The contract requires delivery only, however, there is a provision for the contractor to install the equipment at an additional charge. See section 14 General Specifications for more information

2. Scope of Contract

The scope of this contract is intended to cover the State's normal requirements for 8' Pickup Snow Plow Attachments as specified herein for use by all State Agencies, Institutions, and all Public Schools except those exempt by Statute noted herein. As per House Bill 490, Community Colleges have the flexibility to not use this contract if they can locate the item(s) that is the same or substantially similar in quality, service, and performance as items available under State term contracts and the delivered price is less than that on term contract with all features, terms, and conditions being the same.

3. Taxes

Prices or Discounts shown herein do not include any North Carolina sales or use taxes.

4. Abnormal Quantities

With the exception of NC Dept. of Transportation, any state agency requirement that exceeds 10 units for each order must be forwarded to the Division of Purchase and Contract for processing. The Division, at its sole discretion, may process any such requirement in one of the following ways:

1. Purchase may be authorized at the current level of pricing with the current contract vendor(s)
2. Additional discounts from the current level of pricing may be negotiated with the current contract vendor(s)
3. A separate Invitation for Bids may be issued for the requirement

5. Minimum Orders

This contract will be for a minimum order of 1 unit for any single order.

6. Placement of Orders

Orders will be placed throughout the contract period on an as-needed basis for the quantity required at the time, and will be issued directly to the respective contractor(s) or their designated suppliers. Contract changes, if any, over the life of the contract are implemented by contract addenda released by the Contract Administrator to the contractor. If the contractor is accepting orders and/or delivering through other parties, for example a manufacturer accepting orders and delivering through a dealer network or dealers receiving orders through a network of other dealers, then it is the responsibility of the contractor to apprise such parties of all such contract addenda.

Placement of Orders

Orders will be placed throughout the contract period on an as-needed basis for the quantity required at the time, and will be issued directly to the respective contractor(s) or their designated suppliers. Contract changes, if any, over the life of the contract are implemented by contract addenda released by the Contract Administrator to the contractor. If the contractor is accepting orders

Term Contract No. 765-J

and/or delivering through other parties, for example a manufacturer accepting orders and delivering through a dealer network or dealers receiving orders through a network of other dealers, then it is the responsibility of the contractor to apprise such parties of all such contract addenda.


Order Placement Via E-Procurement (Catalog Items)

- Click on the following link: [E-Procurement Users](#)
- When placing an order in the e-procurement system, the very first thing to do is to go to the catalog tab and select options. After you have selected options, select contract ID. In the contract ID space type in the contract ID number, *****450A.
- Please make sure the keywords space is blank and the contract ID is typed in the contract ID section.
- After selecting the contract ID and to narrow the search to a particular manufacturer select the manufacturer from the drop down
- When the item to be ordered has been located complete the requisition and issue the purchase order.

Non E-Procurement Users:

The E-Procurement Public View will be the only place for Non E-Procurement Users to view the item/pricing information.

- Click on the following link: [E-Procurement Public View](#)
- For online assistance regarding item searching; click on the “How to” underlined link located near the upper-right hand corner.**



7. Delivery

In the event the delivery is not received within the contract delivery period, the contractor may be held in default in accordance with paragraph 1, DEFAULT AND PERFORMANCE BOND in the North Carolina General Contract Terms and Conditions, and the state may procure the articles or services from other sources and hold the contractor responsible for excess cost occasioned thereby.

8. Transportation Charges

All goods shall be delivered FOB DESTINATION when the "order value" is 1 unit or more, when shipped to a single destination. NOTE: If the contractor makes partial shipments of an order equal to or more than this "order value" to one destination, all shipments of the order shall be sent FOB DESTINATION with NO additional transportation charges added.

Note! All shipments should be inspected for damage immediately upon receipt.

9. Item Pricing Information-see section 6 above

10. Price Lists and Catalogs

The successful contractor must furnish descriptive literature to any agency within seven (7) consecutive days after request of the agency. Failure to comply with these requirements may subject the contractor to removal from the contract.

ADD OPTIONAL PRICE FOR INSTALLATION FROM ADDENDUM

11. Contractors

All known minority, women and disabled owned businesses, as well as disabled business enterprises and nonprofit work centers for the blind and severely disabled, including dealers, will be identified with "Minority owned" "Woman owned", "Disabled Owned", "DBE" or "BSD" as appropriate after the vendor number. This is being done in an effort to recognize these businesses and to encourage and promote their use to the greatest extent permitted by law.

When more than one supplier is listed for a particular item, selection should be made, whenever possible, from any of the groups identified above, consistent with agency needs and price considerations.

Contractor Name	Address / Federal ID	Contact, Phone, Fax
Forsyth Mower Works	2956 Griffith Rd Winston-Salem, NC 27103 ontact vendor for Federal ID information	Corey Ingle 336.768.8888 corey@forsythmowerworks.com

12. Warranty

The contractor guarantees items offered to be free from any and all defects in material, packaging, and workmanship and agrees to replace defective items promptly at no charge to the State, for a period of 12 months. .

13. Substitutions

Substitutions are not permitted without prior approval of the Division of Purchase and Contract. Failure of the contractor to comply with this requirement may result in the removal of the contractor from the contract.

14. General Specifications-ordering agencies are strongly encouraged to verify features prior to ordering the equipment.

8 FT. SNOW PLOWS, MOLDBOARD TYPE, PICKUP TRUCK FRONT MOUNTED

GENERAL:

The information below describes a front mounted pickup snow plows, with electric-hydraulic powered. Shall have all components, hoses, cylinders, headlights, cab controls, and necessary hardware for a complete mounting. It should come with a complete hitch, reflective markings on street side and curbside ends of moldboard, guide markers. Snow plow hydraulic must have the ability for raise, lower, hold and angle features. Plows to be mounted by the ordering agency (see below for optional vendor installation) on pickup trucks with **GVW 7,500 lbs to 18,500 lbs.**

NOTE: ORDERING AGENCIES ARE STONGLY ENCOURAGED TO VERIFY FEATURES PRIOR TO PLACING ORDER.

OPTIONAL: FOR CONTRACTOR INSTALLATION ADD \$400.00-REPAIR PARTS ARE MSRP LESS 15% DISCOUNT

- a. Make: MEYER
- b. Model: LOT PRO 8'
- c. BLANK
- d. Plow is reversible
- e. Minimum height at both ends 32 inches
- f. 6 vertical ribs.
- e. Length of cutting edge @ zero: 96"
- g. Clearing path @ (30) degree angle: 86".
- h. Moldboard single piece tinsel steel, and thickness 12 gauge.
- i. Plow hydraulically angled
30 degree both right and left of center-
Clearing path @maximum angle: 87"
- j. Electric and hydraulic system controls must be located in the cab.
- k. Weight of complete unit: 820 lbs
- l. A rubber belting type snow deflector provided for the full length of the top of the moldboard.
- m. Plow must have a lifting device that lift and hold the plow in fully raised position while vehicle is being driven as speed of 40 MPH.
- n. Snowplow guide markers and headlights of high visibility must be provided.
- o. Mounting hitch must be bumper to frame, quick detachable type hitch, and must come with all hardware and coupling required for adequate mounting on required pick-ups.
- p. The push frame to be attached to the moldboard in a manner to provide ample road clearance of the assembly and permit sufficient oscillation for the plow to

Term Contract No. 765-J

follow road contour for even snow removal.

- q. Push frame must have bracing of sufficient strength and rigidity to assure structural integrity under severe use conditions.
- r. The frame must be of sufficient length to prevent moldboard, at full angle position, coming in contact with any part of the vehicle.
- s. Plow must have a full moldboard trip with minimum of 4 extension type trip springs
- t. A complete set of mounting instructions (including drawings) must be furnished with each unit
- u. All components, hoses, cylinders, headlights, cab controls, and necessary hardware for each unit must be packed separately. Components for all units not packed separately is not acceptable.
- v. All quick disconnect shall confirm to ISO 7241-1.

15. Contract Addenda